


THERMOX DTX versus Propylene Glycol (Aqueous Solutions)



Freeze Protection °C	% v/v	Temp °C	Specific Heat J/Kg.K	Thermal Conductivity W/m.K	Kinematic Viscosity mm ² /s	Prandtl Number
-20	33	-20	3.6410	0.4515	16.1000	139.4920
		-15	3.6425	0.4529	12.0105	103.4205
		-10	3.6525	0.4540	9.1580	78.6490
		-5	3.6540	0.4552	7.1690	61.3280
		0	3.6640	0.4562	5.7255	49.5370
		5	3.6740	0.4583	4.6640	39.7200
		10	3.6755	0.4593	3.8620	32.7675
		15	3.6855	0.4605	3.2400	27.4190
		20	3.6955	0.4616	2.7490	23.2250
		25	3.7055	0.4635	2.3615	19.8805
		30	3.7155	0.4646	2.0445	17.1660
		35	3.7255	0.4656	1.7920	14.9735
		40	3.7355	0.4676	1.5785	13.1765